



GLOBE[®]
MADE IN ITALY

since
1961

New!!!



EVERYTHING UNDER CONTROL:

- IT WORKS EXACTLY WHERE YOU WANT
- GREAT STOCK REMOVAL, NO DUST
- MORE COMFORT IN THE USE
- EASY AND FAST MOUNTING



GRINDING

GLOBE INTRODUCES

THE SEMI-FLEXIBLE SANDING DISC WITH INTEGRATED SUPPORT

MAIN ADVANTAGES



VERY GOOD
ABRASIVE
CAPACITY



LOW
VIBRATIONS



REDUCTION
OF WORKING
TIMES



COST
REDUCTIONS



PRECISE FLATTENING
OF WELDS



LOW
NOISE

FLEXCELLENCE is the innovative semiflexible depressed center fiberdisc to be installed without backing pad, designed by GLOBE, to obtain a more **PRECISE, FASTER** and **COMFORTABLE** grinding of:

- WELDING SEAMS
- SHARP EDGES
- FLAT, CONVEX AND CONCAVE SURFACES
- IMPERFECTIONS

PRECISION

The calibrated flexibility of **FLEXCELLENCE** allows extremely precise works compared to the standard grinding wheels and to work exactly where is needed without affecting the surrounding areas.

SPEED

WORKING SPEED: the formulation with ceramic abrasive grains together with special cooling fillers allows an extreme removal speed preventing the overheating


and the pitting of the working piece.

EASY INSTALLATION: the integrated support avoids the inconvenience to apply the fiberdiscs' traditional backing pad; the installation of **FLEXCELLENCE** is as fast as a standard wheel or a flap disc.



COMFORT

To get the best from **FLEXCELLENCE**, it should be used with the proper installation kit and at 10-15° angle with the working surface.


FLEXCELLENCE, available in diameters 115, 125 and 180mm is suitable to work on iron, steel and stainless steel (Fe, Cl, S < 0,1%).



Perfect flattening of welds with **FLEXCELLENCE**.

MATERIAL	DIMENSIONS (diam. - bore) mm	HARDNESS	USE SPEED	ARTICLE CODE	PLUS LINE	DISC DURABILITY STOCK REMOVAL PRECISION
 STAINLESS STEEL & STEEL (Fe, S, Cl < 0,1%)	NEW 115x22,23	SG 36	80 m/s	G3333	• 25PCS	
	NEW 115x22,23	SG 60	80 m/s	G3336	• 25PCS	
	NEW 115x22,23	SG 80	80 m/s	G3337	• 25PCS	
	NEW 115x22,23	SG 120	80 m/s	G3339	• 25PCS	
	NEW 125x22,23	SG 36	80 m/s	G3353	• 25PCS	
	NEW 125x22,23	SG 60	80 m/s	G3356	• 25PCS	
	NEW 125x22,23	SG 80	80 m/s	G3357	• 25PCS	
	NEW 125x22,23	SG 120	80 m/s	G3359	• 25PCS	
	NEW 180x22,23	SG 36	80 m/s	G3373	• 25PCS	
	NEW 180x22,23	SG 60	80 m/s	G3374	• 25PCS	
NEW 180x22,23	SG 80	80 m/s	G3375	• 25PCS		


ASSEMBLY WITH FLUSH MOUNTING FLANGE KIT



QUICK MOUNTING



GRINDING OF CONVEX CURVED SURFACES



GRINDING OF CONCAVE CURVED SURFACES



REMOVAL OF IMPERFECTIONS



FLAT GRINDING
WITH AN ANGLE BETWEEN 10-15°



BEVEL OF SHARP EDGES



FLATTENING OF WELDING RIDGES



MAX-FUN (ADY)

GLOBE also offers
a complete range of abrasive products
for any kind of industry:
metal constructions
building industry
food and pharmaceutical machineries
foundry
railways constructions
furniture industry
... and more



INDUSTRIA ABRASIVI PARMENSE-GLOBE s.r.l.

Via La Spezia, 160 - 43126 Parma - Italy
Tel. +39.0521.293943 - Fax. +39.0521.293743
export@globeabrasives.com
www.globeabrasives.com

